



ARNAX ELEVATOR

QUALITY & SAFETY IS OUR MOTTO



WE MAKE YOU

FAST & SAFE

RISE HIGH



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Welcome to ARNAX ELEVATOR

At ARNAX ELEVATOR, we go beyond being just an elevator company – we are innovators shaping the future of vertical mobility. With over a decade of experience in the elevator industry, our team of engineers, technicians, and professionals brings unmatched expertise and dedication to every project. Innovation drives everything we do. We continually push the limits of technology and design to develop advanced elevator solutions that ensure superior performance, safety, and efficiency.

Our clients are at the heart of our mission. We listen, understand their needs, and deliver customized solutions that consistently exceed expectations. Integrity, transparency, and accountability form the foundation of our work, ensuring lasting trust and strong relationships.

Choose ARNAX ELEVATOR – and elevate your world with confidence.

Customer-focused solutions for every project.

Expert team delivering unmatched reliability.

Innovative systems redefining vertical mobility.





Capsule Elevator

Smooth Operation Comfortable Travel

Our premium capsule elevators fast and highly cost-effective way to create a full-glass elevator solution for your building.

There are multiple car models to choose from, as well as a wide range of interior design options and other customization possibilities.

Available Rated Speed : 1.0, / 1.5 / 2 MPS
 Max Travel Height : 66 M
 Available Rated Capacity : 408 to 1088 Kgs
 Max Passengers : 06 to 16 Passengers



Square Glass Cabin





Five Side Glass Cabin



S.S. Round Glass Cabin



Powder Coted Round Glass Cabin




Type - A

Person	Load Kgs.	Car Inside				Left Well				Entrance E
		A	B	J	G	C	D	F	H	
8	544	1000	1200	1250	600	2000	1225	1230	1000	800
10	680	1100	1300	1400	650	2200	1325	1330	1100	900
13	884	1200	1400	1550	700	2400	1425	1430	1100	1000
16	1068	1300	1500	1700	750	2800	1525	1530	1200	1200

Type - B

Person	Load Kgs.	Car Inside			Left Well				Entrance E
		A	B	G	C	D	F	H	
6	408	1000	1100	200	1800	1250	1230	470	700
8	544	1150	1200	200	2000	1380	1350	520	800
10	680	1250	1300	250	2200	1450	1480	580	900
13	884	1400	1400	300	2400	1550	1630	650	1000
16	1068	1550	1500	350	2800	1780	1650	790	1200





ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Auto Door






Auto Door

Automatic doors at grocery stores and office buildings mainly exist for convenience. The automatic doors in an elevator, on the other hand, are absolutely essential – they keep people from falling down an open shaft.

Elevators use two different sets of doors: doors on the cars and doors opening into the elevator shaft. The doors on the cars are operated by an electric motor, which in turn is operated by the elevator computer.



Available Rated Speed 0.63/1.0/1.5/2 MPS
 Max Travel Height 66 M
 Available Rated Capacity 272 to 1360 kgs.
 Max Person 04 to 20 Passengers



Load		Lift Weel		Car Inside		ENT Rance	Machine Room			UP To 1.5 M/Sec.		Up To 2.5 M/Sec.	
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height	PIT	O.H.	PIT	O.H.
IN KG.		A	B	C	D	E	F	G	H	I	J	K	M
6	408	1700	1550	1100	1000	700	3000	3500	2500	1600	4800	2600	6700
8	544	1900	1650	1300	1000	800	3200	3500	2500	1600	4800	2600	6700
10	680	1900	1900	1350	1300	800	3500	4000	2500	1600	4800	2600	6700
13	884	2500	1650	2000	1100	900	4000	4200	2500	1600	4800	2600	6700
16	1088	2500	1850	2000	1300	1000	4500	4800	2500	1600	4800	2600	6700
20	1360	2500	2050	2000	1500	1000	5000	5000	2500	1600	4800	2600	6700



Manual Door



Passenger Elevator

Manual Door

Manual door elevators are durable by design and accurate by technology. We have a wide range of these elevators which are most reliable and designed to suit every construction requirement and provide best vertical transportation solutions, with trouble free performance and low maintenance cost.

These elevators are a perfect blend of Cost friendly and robust performance elevator applications. They have an excellent record of customer satisfaction.

Available Rated Speed 0.63 / 1.0, / 1.5 / 2 MPS
 Max Travel Height 66 M
 Available Rated Capacity 272 to 1360 Kgs
 Max Passengers 04 to 20 Passengers




Safe




Robust



Lots of Options for Interior and Fixtures




COLLAPSIBLE DOOR LANDING



Hoistway Machine Room Plan For Manual Door

Hoistway Elevation Drawing



Load		Lift Well		Car Inside		Entrance	Machine Room		
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height
In Kg.		A	B	C	D	E	F	G	H
4	272	1600	1250	1100	700	700	3000	3000	2500
5	340	1600	1300	1100	850	750	3000	3200	2500
6	408	1670	1370	1100	1000	750	3000	3500	2500
8	544	1800	1600	1300	1100	750	3200	3500	2500
10	680	1850	1800	1350	1300	1000	3500	4000	2500
13	884	2500	1600	2000	1100	1000	4000	4200	2500
16	1088	2500	1800	2000	1300	1000	4500	4800	2500
20	1360	2500	2050	2000	1550	1000	5000	5000	2500



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Hospital Elevator



Can Save Time for Quick Rescue

- The Hospital Elevator is designed Especially for Patient Vertical Transportation in Hospital.
- In Elevator Cabin Wheelchair & Stretcher Can be Accommodated.
- No Jerk is experienced at the Starting & Stopping of Elevator.
- Size of Elevator Cabin & Doors can be Adjustable as Availability of Hoistway.
- Elevator Car with two Opposite Side Opening is Possible, if required.
- Cabin is washable with Wet Cloth.

Available Rated Speed 0.30/0.63 MPS
 Max Travel Height 12 M
 Available Rated Capacity 300 to 450 Kgs
 Max Passengers 4 to 6 Passengers



Intellectual Control



Noise Reducing




Smooth and Comfortable




Safety Door Edge (SDE)
A mechanical safety device with a micro-switch reverses closing doors if there is physical contact with a passenger or an object.

Hoistway Elevation Plan



Hoistway Elevation Drawing



Person	Capacity	Shaft-W	Shaft-D	Car-W	Car-D	Entrance
	Kg	(A)	(B)	(C)	(D)	(E)
15	1020	1900	3000	1000	2400	800
20	1360	2300	3000	1300	2400	900
26	1768	2600	3000	1600	2400	1000

Person	Capacity	Shaft-W	Shaft-D	Car-W	Car-D	Entrance
	Kg	(A)	(B)	(C)	(D)	(E)
15	1020	1700	3000	1000	2400	800
20	1360	1950	3000	1300	2400	900
26	1768	2100	3000	1600	2400	1000



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO



Machine Room Elevator

Machine room elevators are durable by design and accurate by technology. We have a wide range of these elevators which are most reliable and designed to suit every construction requirement and provide best vertical transportation solutions, with trouble free performance and low maintenance cost.

These elevators are a perfect blend of Cost friendly and robust performance elevator applications. They have an excellent record of customer satisfaction.

Available Rated Speed 0:63/1.0/1.5/2 MP
 Max Travel Height 66 M
 Available Rated Capacity 272 to 1360 Kgs
 Max Passengers 04 to 20 Passengers




Safe



Robust




Lots of Options for
Interior and Fixtures



Hoistway Machine Room Plan For Manual Door

Hoistway Elevation Drawing



Load		Lift Weel		Car Inside		Entrance	Machine Room		
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height
IN KG.		A	B	C	D	E	F	G	H
4	272	1600	1200	1100	700	700	3000	3000	2500
6	408	1600	1500	1100	1000	700	3000	3500	2500
8	544	1700	1600	1300	1100	800	3200	3500	2500
10	680	1850	1800	1350	1300	800	3500	4000	2500
13	884	2500	1600	2000	1100	900	4000	4200	2500
16	1088	2500	1800	2000	1300	1000	4500	4800	2500
20	1360	2500	2000	2000	1500	1000	5000	5000	2500



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

MRL Elevator



Reduction in Elevator Equipment Area of **35%**

Machine Roomless Elevator



Less Space Less Energy More Flexibility

Brings you a revolutionary concept in the field of elevators to give you absolute freedom in designing-MRL-Machine Room Less Elevators. Our exclusive Machine room less elevators brings aesthetic enhancements for your structure.

Available Rated Speed	1.00/1.50/2 MPS
Max Travel Height	66 M
Available Rated Capacity	340 to 1768 Kgs
Max Passengers	05 to 26 Person



New generation permanent magnet synchronous gearless traction machine



Capacity		Lift Well		Car Inside		Clear Entrance	Clear Opening at landing	
Person	KGS	C	D	A	B	E	F Auto Door	F Manual Door
6	408	1800	1400	1200	900	700	780 / 2100	1450 / 2350
8	544	1900	1400	1300	1100	800	880 / 2100	1600 / 2350
10	680	1900	1600	1300	1300	800	880 / 2100	1600 / 2350
13	884	2200	1800	1600	1400	900	980 / 2100	1700 / 2350



100% Eco Friendly



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Home Elevator



Luxury and Convenience in Your Home

Home Elevator is designed to meet vertical transportation needs in private bungalows. It is the ideal solution for elderly and impaired persons who can finally move autonomously and free from stairs.

It is a modern product, designed and manufactured to meet a wide range of needs from the garage to the roof, you can move effortlessly up to 4 floors.

Available Rated Speed	0.30/0.63 MPS
Max Travel Height	12 M
Available Rated Capacity	300 to 450 Kgs
Max Passengers	4 to 6 Passengers

Main feature and benefits:

- Runs with single phase power supply.
- Required very compact overhead space and pit area.
- Saves up 40% energy compared to hydraulic elevator.
- Noiseless and vibration free.
- Easy to install and maintain

Mini Gearless Machine





Save Energy



Low Noise



Comfortable



RPM	120	Pulley Dia.	100 mm
Frequency	12 Hz.	Rope Dia.	4 mm
Voltage	230 VAC	No. of Ropes	4
Kw / Hp	0.75 / 1	Lifting Capacity	300 kg
Weight	70 kg.	Lift Speed	up to 0.50 m/s
Brake	Pick-up : 220 VDC	Max. Travel	15 Mts.
Voltage	Holding : 110 VDC	Starts / Day	100



Looking for a low-maintenance elevator Hydraulic elevator provide the advantages of being relatively inexpensive, safe and easy to maintain.

They're very convenient and cost-effective solution for low-rise buildings with low traffic.

Hydraulic elevators have been rated the safest option for home elevators. They boast superb user friendliness and easy access machine room located at the basement. Once they are put in place, hydraulic elevators provide the smoothest rides possible.

Available Rated Speed	0.30 MPS
Max Travel Height	30 M
Available Rated Capacity	20 4to 40 8Kgs
Max Passengers	3 to 6 Passengers



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Goods Elevator



Save Valuable Time as Well As Energy

Special Features:

- Goods Lifts are amalgamation of Cranes and lift technology.
- Mechanisms Mounted on Fabricated Frame
- All Door entries fitted with collapsible doors.
- Cabin height not less than 2100mm..
- Cabin floors are covered with chequer plate.
- If one rope fails another rope holds the cabin from falling.
- If any gate is opened Goods Lift Will not operate.
- All floor doors are fitted With limit switches.

“

Available Rated Speed	0.50/1.00/1.50 MPS
Max Travel Height	66 M
Available Rated Capacity	500 to 3000 Kgs

”



Aluminum Checker Plate





M.S. Checker Plate



Heavy Duty Traction Machine



Accurate Leveling




Capacity	Car Inside		Lift Well		Clear Opening	Wall Opening	Machine		PIT Depth	Over Head	Speed	
Load IN KG.	A	B	C	D	E	F	G	H	Height	J	K	M/Sec
500	1200	1200	1650	1650	800 X 2000	1150 X 2225	2700	2700	2500	1600	4200	0.35
1000	1700	1600	2400	1900	1200 X 2000	1625 X 2225	3500	3000	2500	1600	4600	0.35
1500	2000	2000	2700	2300	1500 X 2000	2000 X 2225	4000	4000	2500	1600	4600	0.35
2000	2200	2500	2900	2800	1500 X 2000	2000 X 2225	4000	4200	2500	1600	4600	0.35
2500	2500	2500	3200	2800	1600 X 2000	2100 X 2225	4500	4500	2500	1600	4800	0.35
3000	2500	3200	3300	3500	1600 X 2000	2100 X 2225	4500	5200	2500	1600	5200	0.35
4000	2500	4000	3400	4300	2000 X 2000	2600 X 2225	4500	6300	2500	1600	5200	0.35



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Car Elevator



The Most Reliable Parking Assistants

Car elevators help to alleviate the problems of finding sufficient parking space in busy areas, and save on costly land in commercial space.

These lifts smoothly transport vehicles to the tops of building, or to basements and showrooms.



They are carefully engineered for independent access of vehicles in private homes or multi-family residences where space is valuable

- Available Rated Speed 0.30/0.50 MPS
- Max Travel Height 30 M
- Available Rated Capacity 2500 to 4000 Kgs




Bi-Partical Door

Description	Vertical Transportation for Cars/ LMVs
Segment	Industrial applications & Car Parks
Max. travel (m)	100 (Solutions available for higher travel)
Max. load (kg)	500 - 5000 Kg (Solutions available for higher capacities)
Max. speed (m/s)	0.5 mps (Solutions available for other speeds)



Different Type Car Parking Lift



Two Car Parking System



Car Puzzle Parking



Electric Scissor Car Lift



ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO



Escalator S310-35K COMMERCIAL ESCALATOR



- Escalator suitable for hotels, office buildings, super markets, and airports.
- The step width can be 600mm, 800mm and 1000mm.
- The inclination can be 30° & 35°.
- The alternative function includes VVVF, auto-lubrication & error analysis.
- The requirements can be customized.

Functions

- Automatic inspection status transformation
- Handrail entrance device
- Up and down start key
- Emergency button/operation brake control
- Broken step chain safety device
- Comb safety device/ Protection from over speed
- Non-reversing safety device
- Inspection device
- Overload protection
- Control device for handrail breakage
- Phase monitoring relay
- Auxiliary brake [H>6.0m]



Superb performance comes from stringent design



Smooth Operation



Long Service Life



Quiet Running - Quiet Drive Units

	S310-35K60	S310-35K80	S310-35K100
A	600	800	1000
B	838	1038	1238
C	1200	1400	1600
D	1260	1460	1660
E	1838	2038	2238
F	18500	18900	15700





ARNAX ELEVATO
QUALITY & SAFETY IS OUR MOTTO

Cabin Designs

Freedom of designs

Create the look and feel you like. Combine colors, materials, lighting, mirrors, handrails and fixtures to achieve the ambience that fits both your ideas and your building.

Choose from one of our four interior design lines or design the whole cabin to your own taste.



■■■■ - ■■
Stainless Steel & Half Glass Designer Cabin



■■■■ - ■■
M.S. & Glass Designer Cabin



■■■■ - ■■
Wooden & Glass Designer Cabin



■■■■ - ■■
Stainless Steel & Glass Designer Cabin



■■■■ - ■■
Stainless Steel & Glass Decorative Cabin



■■■■ - ■■
S.S. Hairline & Glass Designer Cabin





ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Brand Your Elevator

Automatic Door



Center Opening Auto Door (Small Vision)



Hairline Finish Telescopic Autodoor



Center Opening Plain S.S. Door



Rose Gold Center Opening Autodoor



Center Opening Auto Door (Four Panel)



Full Glass Door




Full Vision Glass Door



Half Glass Autodoor


Manual Door




Manual Imperforates Door



Manual Collapsible Door



Manual Telescopic Door



Manual Swing Door



M.S. Powder Coated Frame Full Glass Swing Door

Door close button.

- ▶ Service Buttons: Stop Switch (ES), Attendant Switch (ATS), Fan switch, Powder Coated MS box.
- ▶ Display Option: Standard 7 Segment, Dot Matrix, LCD Display.

Stainless Steel Mirror finish, Stainless Steel Special finish.

- ▶ 2-3 mm Stainless steel hairline finish faceplate.
- ▶ Position Indicator display for floor, up/down direction and overload message.
- ▶ Optional interphone button and emergency light.

Display of Calling Box



Horizontal Display Effect



Vertical Display Effect



BVT 605

Push Button



BXK - 191



BCG - 451 COP - LOP



EL 03

Only 10mm Ultra-Thin & Streamlined COP & LOP



EL 04

Touch Glass COP



EL 05

S.S. Touch Glass COP



EL 05

Touch Glass COP



RF ID Card (Optional)





ARNAX ELEVATOR
QUALITY & SAFETY IS OUR MOTTO

Green Installation Saving Environment Friendly



Save Energy



Low Noise



Comfortable



Gearless Traction Machine



MGI-127L
Gearless Machine



MRL Gearless Machine



Mini Gearless Machine

Lift Duty Reduction Geared Machine Units



Montanari Heavy Duty
Traction Geared Machine



M67
Geared Traction Machine




CAULDRON - 135N
Geared Traction Machine

Controller


The safe and More Energy-Saving Integrated control



Monarch controller panel
Traction and Geared Controller



STEP
Elevator Parallel
Integrated Controller



STEP
Elevator Serial
Integrated Controller

Safety is everything.

When passengers ride our elevators
we want them safe.



New Installation

Installation works are carried out after discussions on the type of lifts required to meet the demands of the buildings, using the latest technology and equipment.

Maintenance Contract

We are one of the reliable and well know service providers for elevators maintenance. We offer our clients' annual maintenance contract for all types of lifts.

Modification

We modify our clients elevator with the latest and updated techniques, technology, design and compact features to ensure maximum safety and to reduce the energy cost.

Repair & Service

We posses dynamic professionals to provide repairing and other maintenance service at market price for better functioning of the elevators and its inner devices.



Office Address: Prabhat Nagar,
Bandarjori, Dumka, Jharkhand-
814112

Ad-98, Nuwagarh Gamharia
jharkhand -832108

Deoghar : Arnax Elevator
Gali No. 01, Sidarth Nagar,
Nandan Pahar, Near Baba
Baidyanath Ashram,
Deoghar, Jharkhand-814112

Dhanbad : Lalit Vihar Colony,
Behind Prabhatam Mall, Dhaiya,
Dhanbad, Jharkhand-826001

Arnax Elevator -Housing board
colony, Plot no L1351, Dumduma,
Bhubaneswar, Odisha 751019